

Message

From: Minter, Douglas [Minter.Douglas@epa.gov]
Sent: 8/20/2019 7:38:39 PM
To: Bahrman, Sarah [Bahrman.Sarah@epa.gov]; Arnold, Rick [Arnold.Rick@epa.gov]; Robinson, Valois [Robinson.Valois@epa.gov]
Subject: FW: D-B Class III permit review done
Attachments: DeweyBurdock2ndClassIIIDraftFactSheet_v2 MINTER+S.docx

<!--[if lte mso 15 || CheckWebRef]-->

Minter, Douglas has shared a OneDrive for Business file with you. To view it, click the link below.

 DeweyBurdockClassIIISecondDraftAreaPermit_v4 MINTER.docx

<!--[endif]-->

Thanks Sarah: it appears these documents do capture both your and Darcy's comments as well.

Douglas

From: Bahrman, Sarah <Bahrman.Sarah@epa.gov>
Sent: Tuesday, August 20, 2019 9:33 AM
To: Minter, Douglas <Minter.Douglas@epa.gov>
Subject: FW: D-B Class III permit review done

This should be the version of the permit that Darcy and I commented on. See if you can open it and view our comments, please.

Thanks

Sarah E. Bahrman | Chief, Safe Drinking Water Branch | U.S. Environmental Protection Agency - Region 8
(p) 303.312.6243 | (c) 303.903.8515 | (f) 877.876.9101

From: Bahrman, Sarah
Sent: Sunday, August 11, 2019 7:29 PM
To: O'Connor, Darcy <oconnor.darcy@epa.gov>
Cc: Minter, Douglas <Minter.Douglas@epa.gov>; Robinson, Valois <Robinson.Valois@epa.gov>; Arnold, Rick <Arnold.Rick@epa.gov>
Subject: FW: D-B Class III permit review done

Hi Darcy –

Attached are the Class III permit and Fact Sheet for your review. Nathan, Douglas and I have reviewed all docs, although comments are still in comment bubbles to be resolved by Valois or Rick. Rick will be back in on Wednesday this week if you have any specific questions. (Note: Nathan's comments on the fact sheet are in a different version as we had some sharepoint issues).

Also – I told you previously that these versions would have all edits since that last PN version in track changes, but that is not the case for the Class III permit. In the Fact Sheet, Valois noted key changes with \$\$ so you can search for that. There are also a few comment bubbles from Valois that note these changes.

Thanks,
Sarah

Sarah E. Bahrman | Chief, Safe Drinking Water Branch | U.S. Environmental Protection Agency - Region 8
(p) 303.312.6243 | (c) 303.903.8515 | (f) 877.876.9101

From: Minter, Douglas <Minter.Douglas@epa.gov>
Sent: Friday, August 9, 2019 6:22 AM
To: Robinson, Valois <Robinson.Valois@epa.gov>
Cc: Bahrman, Sarah <Bahrman.Sarah@epa.gov>; Chin, Lucita <Chin.Lucita@epa.gov>
Subject: FW: D-B Class III permit review done

Hi Valois: my comments and edits are now included in this version of the Class III Permit.

Thanks,

Douglas

From: Minter, Douglas
Sent: Thursday, August 8, 2019 4:09 PM
To: Robinson, Valois <Robinson.Valois@epa.gov>
Cc: Bahrman, Sarah <Bahrman.Sarah@epa.gov>; Lucita Chin (Chin.Lucita@epa.gov) <Chin.Lucita@epa.gov>
Subject: RE: D-B Class III permit review done

Hi Valois: I have attached a version of the Class III Fact Sheet reflecting my comments. It seemed this approach was the only way I could save my edits, etc remotely today.

Most of my comments are related to the changes made from the 2017 Fact Sheet.

Let me know if you have questions, etc.

Douglas

From: Robinson, Valois <Robinson.Valois@epa.gov>
Sent: Tuesday, August 6, 2019 3:06 PM
To: Wiser, Nathan <Wiser.Nathan@epa.gov>
Cc: Minter, Douglas <Minter.Douglas@epa.gov>; Cantor, Tiffany <Cantor.Tiffany@epa.gov>; Copt, Britta <Copt.Britta@epa.gov>
Subject: RE: D-B Class III permit review done

Hi Nathan,

Thanks so much for your timely review! I will look at your comments tomorrow and be in touch.

And thank you, too, Britta! The FR comments you talked about during our meeting today will be helpful to me on the Class III permit.

Valois

Valois Robinson
U.S. EPA Region 8
MailCode: 8WD-SDU
1595 Wynkoop Street
Denver, CO 80202-1129

Phone: (303) 312-6276
Fax: (303) 312-6741
Email: robinson.valois@epa.gov

From: Wiser, Nathan <Wiser.Nathan@epa.gov>
Sent: Tuesday, August 6, 2019 1:51 PM
To: Robinson, Valois <Robinson.Valois@epa.gov>
Cc: Minter, Douglas <Minter.Douglas@epa.gov>; Cantor, Tiffany <Cantor.Tiffany@epa.gov>; Copt, Britta <Copt.Britta@epa.gov>
Subject: D-B Class III permit review done

Hi Valois,

Very nice job on such a monumentally complex site!

I saved my comments on the Dewey Burdock Class III draft permit and the accompanying fact sheet as new files alongside yours on your I-drive location: **I:\30 Day Share\Valois\Dewey Burdock\Class III\PermitDocs\2ndDraftClassIIIDocs**. Each has my name in the file name.

I made it through the entire permit but I only reviewed part of the fact sheet. I was thinking the permit was the more important document.

I'll be running back to the office today for a R8 Sci Council meeting. Starting tomorrow, I should be back in the office as usual.

Let me know if you would like to meet to discuss any of these comments. Some are pretty easy to address and others might need a bit more than an email exchange.

Nathan Wiser
Environmental Scientist
U.S. Environmental Protection Agency, Region 8
Enforcement and Compliance Assurance Division
Safe Drinking Water Act Enforcement Section

Mailing address:
1595 Wynkoop Street (Mail code 8ENF-W-SD)
Denver, CO 80202

(303) 312-6211 direct
wiser.nathan@epa.gov